JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 25

AUTHOR INDEX

	No.	Page
1. AMSDEN, THOMAS W., Brachiopods of the Henryhouse formation (Silurian) of Oklahoma	1	69
2. ANDERSON, HAROLD V., Two new genera of Foraminifera from Recent deposits in Louisiana	1	31
3. ARKELL, J. W., Notes on nomenclature of Jurassic Phylloceratina	3	410
4. BANDY, ORVILLE L., Upper Cretaceous Foraminifera from the Carlsbad area, San Diego County, California	4	488
5. BARGHOORN, E. S., Age and environment: A survey of North American Tertiary floras in relation to paleoecology	6	736
BERDAN, JEAN M., see SOHN, I. G. (74)		
6. BOLLI, HANS, The genus *Globotruncana* in Trinidad, B. W. I. (Notes on occurrence, nomenclature and relationships between species)	2	187
BRANSON, C. C., see BRANSON, E. B. (7)		
7. BRANSON, E. B., MEHL, M. G., and BRANSON, C. C., Richmond conodonts of Kentucky and Indiana	1	1
8. BRONNIMANN, P., A model of the internal structure of *Discocyclina* s.s.	2	208
9. BRONNIMANN, P., Internal structure of *Cyclammina cancellata*	6	756
10. BURSCH, J. G., Comments on "Trends in research and the Journal of Paleontology"	4	535
11. CAMP, C. L., *Plotosaurus*, a new generic name for *Kolposaurus* Camp, preoccupied	6	822
12. CAMPBELL, ARTHUR S., New genera and subgenera of Radiolarida	4	527
CAMPBELL, C. B., see HUSSEY, KEITH M. (35)		
13. CARPENTER, F. M., Studies on Carboniferous insects from Commentry, France: Part II. The Megasecoptera	3	336
14. COBBAN, W. A., New species of *Baculites* from the Cretaceous of Montana and South Dakota	6	817
15. COLEMAN, P. J., *Atrypa* in Western Australia	5	677
COLLINSON, CHARLES, see MILLER, A. K. (47, 48)		
CONNELLY, JAMES L., JR., see PECK, RAYMOND E. (58)		
16. CROSS, A. T., and HOSKINS, J. H., Paleobotany of the Devonian-Mississippian black shales	6	713
17. CUSHMAN, JOSEPH A., and STAINFORTH, R. M., Tertiary Foraminifera of coastal Ecuador: Part I, Eocene	2	129
DOWNS, H. R., see YOUNGQUIST, WALTER (95)		
18. EASTON, W. H., Mississippian cuneate corals	3	380
19. EMILIANI, CESARE, Notes on thin sectioning of smaller Foraminifera	4	531
20. EVITT, WILLIAM R., Some Middle Ordovician trilobites of the families Cheiruridae, Harpidae and Lichidae	5	587
21. EVITT, WILLIAM R., Paleontologic techniques	5	693
22. FAUL, HENRY, The naming of fossil footprint "species"	3	409
23. FAUL, HENRY, and ROBERTS, WAYNE A., New fossil footprints from the Navajo sandstone of Colorado	3	266
24. FISHER, DONALD WILLIAM, Marcasite fauna in the Ludlowville formation of western New York	3	365
25. FISHER, DONALD WILLIAM, A new edrioasteroid from the Middle Ordovician of New York	5	691
26. FLOWER, ROUSSEAU H., *Shantungendoceras* and the antiquity of the endoceroids	1	115
27. FRITZ, MADELEINE A., The pelecypod genus *Vlasta* in the Ordovician of North America	5	696
28. GILL, EDMUND D., Concerning the substitution of the term prosopon for ornament	3	408
29. HAAS, OTTO, Some comments on Vecchia, "Su alcuni nomi generici di ammoniti Liassici"	1	120
30. HAAS, OTTO, Footnote to a footnote	1	123
31. HAAS, OTTO, Lehrbuch der Paläozoologie, by Oskar Kuhn (Review of)	1	124
32. HARRINGTON, HORACIO J., and KAY, MARSHALL, Cambrian and Ordovician faunas of eastern Colombia	5	655
HAWLEY, R. W., see YOUNGQUIST, WALTER (96)		

33. HEMMING, FRANCIS, On a suggestion received by the International Commission on Zoological Nomenclature ... 1 118
HOSKINS, J. H., see CROSS, A. T. (16)
34. HOWE, HENRY V., New name for genotype of *Alatacythere* (Ostracoda) ... 4 538
35. HUSSEY, KEITH M., and CAMPBELL, C. B., A new method of sample preparation ... 2 224
IGLESIAS, SATURNINO, J., see YOUNGQUIST, WALTER (97)
36. JOHNSON, J. HARLAN, Permian calcareous algae from the Apache Mountains, Texas 1 21
37. JUST, THEODOR, A revision of fossil *Sequoia* and *Taxodium* in western North America based on the recent discovery of *Metasequoia*, by Ralph W. Chaney (Review of) ... 4 542
38. JUST, THEODOR, Mesozoic plant microfossils and their geological significance ... 6 729
KAY, MARSHALL, see HARRINGTON, HORACIO J. (32)
39. KEENAN, JAMES E., Ostracodes from the Maquoketa shale of Missouri ... 5 561
40. LALICKER, CECIL G., *Pealerina*, new name, replacing *Ellisina* Lalicker ... 2 237
41. LEVINSON, STUART A., Thin sections of Paleozoic Ostracoda and their bearing on taxonomy and morphology ... 5 553
42. LOEBLICH, ALFRED R., The Cushman Collection of Foraminifera ... 2 227
McCLURE, FRANKLIN E., see THOMAS, LEO A. (84)
43. MACDONALD, J. R., Additions to the Whitneyan fauna of South Dakota ... 3 257
44. McLAUGHLIN, KENNETH P., and SIMONS, MERTON E., Upper Paleozoic microfossils from Stevens County, Washington ... 4 514
45. McLEAN, JAMES D., JR., *Cibicides* or *Eponides cocoaensis* Cushman ... 4 534
MEHL, M. G., see BRANSON, E. B. (7)
46. MENZIES, ROBERT JAMES, Pleistocene Brachyura from the Los Angeles area: Cancridae ... 2 165
MILLER, A. K., see YOUNGQUIST, WALTER (96, 98)
47. MILLER, A. K., and COLLINSON, CHARLES, A new species of *Hercoglossa* from Maracaibo ... 3 377
48. MILLER, A. K., and COLLINSON, CHARLES, Lower Mississippian ammonoids of Missouri ... 4 454
MILLER, ROBERT LEE, see OLSON, EVERETT C. (53)
49. NELSON, C. A., Cambrian trilobites from the St. Croix valley ... 6 765
50. NORTH, F. K., On the type of *Pseudamussium* and other notes on pectinid nomenclature ... 2 231
51. OKULITCH, VLADIMIR, J., A Lower Cambrian fossil locality near Addy, Washington 3 405
52. OLSEN, RUSSELL, Size relations in the limb bones of *Buettneria perfecta* ... 4 520
53. OLSON, EVERETT C., and MILLER, ROBERT LEE, Relative growth in paleontological studies ... 2 212
54. PALMER, A. R., *Pemphigaspis*, a unique Upper Cambrian trilobite ... 6 762
55. PARKS, JAMES M., JR., Corals from the Brazer formation (Mississippian) of northern Utah ... 2 171
56. PECK, RAYMOND E., Nonmarine ostracodes—the subfamily Cyprideinae in the Rocky Mountain area ... 3 307
57. PECK, RAYMOND E., A new ostracode genus from the Cretaceous Bear River formation ... 5 575
58. PECK, RAYMOND E., and CONNELLY, JAMES L., JR., *Octocrinus* Peck and *Tylthocrinus* Weller, synonyms of *Amphipsalidocrinus* Weller ... 3 414
PETERSON, JAMES A., see SWAIN, FREDERICK M. (82)
59. RAU, WELDON W., Tertiary Foraminifera from the Willapa River Valley of southwest Washington ... 4 417
ROBERTS, WAYNE A., see FAUL, HENRY (23)
60. RODIN, ROBERT J., Petrified forest in South West Africa ... 1 18
ROLLMAN, MARY E., see SINCLAIR, G. WINSTON (71)
61. ROSS, REUBEN JAMES, JR., Ontogenies of three Garden City (early Ordovician) trilobites ... 5 578
62. SCOTT, HAROLD W., Instars and shell morphology of *Eoleperditia fabulites* ... 3 321
63. SCOTT, HAROLD W., and SMITH, WILLIAM H., Molt stages of an Eocene fresh-water ostracode ... 3 327
64. SELLING, OLOF H., On *Protojuniperoxylon arcticum* ... 4 538
65. SEXTON, JAMES V., The ostracode *Cytherelloidea* in North America ... 6 808
66. SHAW, ALAN B., The paleontology of northwestern Vermont, I. New late Cambrian trilobites ... 1 97
SIMONS, MERTON E., see McLAUGHLIN, KENNETH P., (44)
67. SINCLAIR, G. WINSTON, New editions of two handbooks of nomenclature; Procedure in Taxonomy, by Edward T. Schenck and John H. McMasters, revised by A. Myra Keen and Siemon William Muller, and Einführung in die zoologische Nomenklatur, by Rudolf Richter (Review of) ... 1 125

68. SINCLAIR, G. WINSTON, The generic name *Bilobites*..... 2 228
69. SINCLAIR, G. WINSTON, Notes on nomenclature, November 1950..... 3 410
70. SINCLAIR, G. WINSTON, Practical invertebrate anatomy, by W. S. Bullough (Review of)..... 5 704
71. SINCLAIR, G. WINSTON, and ROLLMAN, MARY E., A forgotten book and its author. 4 540
72. SLOAN, ROBERT E., A new instrument for measuring fossils..... 4 525
73. SLOSS, L. L., *Aulacophyllum symmetricum*, new name for *A. bilaterale* Sloss..... 3 415
SMITH, WILLIAM H., see SCOTT, HAROLD W. (63)
74. SOHN, I. G., and BERDAN, JEAN M., The morphology of ostracod molt stages, by R. V. Kesling (Review of)..... 5 703
75. SPJELDNAES, NILS, Ontogeny of *Beyrichia jonesi* Boll..... 6 745
STAINFORTH, R. M., see CUSHMAN, JOSEPH A. (17)
76. STEPHENSON, L. W., *Tryonella*, a new generic name for *Tryonia* Stephenson, preoccupied..... 5 700
77. STRIMPLE, HARRELL L., Pennsylvanian crinoids from Lake Bridgeport, Texas..... 2 200
78. STRIMPLE, HARRELL L., New species of crinoids from the Pennsylvanian of Kansas. 3 372
79. STRIMPLE, HARRELL L., New Carboniferous crinoids..... 5 669
80. SUMMERSON, CHARLES H., Cambrian tracks in the Lamotte sandstone..... 4 533
81. SWAIN, FREDERICK M., Corrections: recent papers on Mesozoic and Cenozoic Ostracoda..... 2 236
82. SWAIN, FREDERICK M., and PETERSON, JAMES A., Ostracoda from the Upper Jurassic Redwater shale member of the Sundance formation at the type locality in South Dakota..... 6 796
83. TASCH, PAUL, Fauna and paleoecology of the Upper Cambrian Warrior formation of central Pennsylvania..... 3 275
84. THOMAS, LEO A., and MCCLURE, FRANKLIN E., *Campodus variabilis* (Meek and Worthen) from the Virgilian series of Iowa..... 4 536
85. YEN, TENG-CHIEN, A new name for *Unio reesidei* Yen..... 5 700
86. WARTHIN, A. S., JR., Handbook of paleontology for beginners and amateurs: Part I, The fossils, second edition, by Winifred Goldring (Review of)..... 5 705
87. WARTHIN, A. SCOTT, JR., and WELLER, J. MARVIN, Style, form and procedure for the Journal of Paleontology..... 5 709
88. WILSON, JAMES LEE, Franconian trilobites of the central Appalachians..... 5 617
89. WELLER, J. MARVIN, Report of 18th Session, International Geological Congress: Part 1, General Proceedings; Part 12, Proceedings of Section L, Earth movements and organic evolution; and Part 15, Proceedings of the International Paleontological Union (Review of)..... 2 238
90. WELLER, J. MARVIN, California fossils for the field geologist, by Hubert T. Schenck and A. Myra Keen, and Illustrated catalogue of Japanese Tertiary smaller Foraminifera, by Kiyoshi Asano (Reviews of)..... 4 542
91. WELLER, J. MARVIN, On the origin of species by natural selection, first edition, by Charles Darwin (Review of reprint)..... 4 543
92. WELLER, J. MARVIN, Stratigraphy and sedimentation, by W. C. Krumbein and L. L. Sloss (Review of)..... 4 543
WELLER, J. MARVIN, see WARTHIN, A. SCOTT, JR. (87)
93. WEYNSCHENK, R., Two new Foraminifera from the Dogger and Upper Triassic of the Sonnwend Mountains of Tyrol..... 6 793
94. YOUNG, KEITH, Foraminifera and stratigraphy of the Frontier formation (Upper Cretaceous), southern Montana..... 1 35
95. YOUNGQUIST, WALTER, and DOWNS, H. R., Conodonts from the Lower Mississippian Wassonville dolomite of Iowa..... 6 785
96. YOUNGQUIST, WALTER, HAWLEY, R. W., and MILLER, A. K., Phosphoria conodonts from southeastern Idaho..... 3 356
97. YOUNGQUIST, WALTER, and IGLESIAS, SATURNINO J., Ordovician conodonts from South America..... 3 408
98. YOUNGQUIST, WALTER, and MILLER, A. K., A new goniatite locality in the White Pine shale of Nevada..... 2 227
99. ANONYMOUS, Annual fall meeting of Pacific Coast Section..... 5 707
100. ANONYMOUS, Committee on amateur paleontology..... 5 706
101. ANONYMOUS, Eastern regional meetings..... 5 707
102. ANONYMOUS, Exchanges, financial and geological..... 5 706
103. ANONYMOUS, Meeting plans for the International Paleontological Union in connection with the 1952 meetings of the International Geologic Congress..... 5 706
104. ANONYMOUS, International Commission on Zoological Nomenclature..... 6 822
105. ANONYMOUS, Palaeontological Society of Japan..... 4 541
106. ANONYMOUS, Zoological nomenclature: notice of proposed suspension of the rules.. 4 537

SOCIETY RECORDS AND ACTIVITIES

Paleontological Society
Nominations for membership ..... pp. 127, 416, 701
Nominations for officers 1951–1952 ..... p. 128
Society of Economic Paleontologists and Mineralogists
Members of the society ..... p. 239
Reports and minutes of the twenty-fifth annual meeting ..... p. 544

SUBJECT INDEX

Acid cleaning (21).
Addy quartzite (Lower Cambrian): brachiopods, trilobites, Washington (51).
Africa: petrified forest, Permian (60).
Algae, calcareous: Permian, Texas (36).
Amateur paleontology, committee on (100).
Ammonites: Jurassic, nomenclature (3, 30).
Ammonoids: Lower Mississippian, Missouri (48).
Amphibians: Upper Triassic, New Mexico (52).
Arctic region: Mesozoic paleobotany (64).
Argentina: Ordovician conodont localities (97).
Atlantic Ocean: Recent radiolarians (12).
Atrypa: Middle Devonian, Australia (15).
Australia, western: Middle Devonian *Atrypa* (15).
Austria: Upper Triassic, Middle Jurassic foraminifera (93).
Authors, rules for citing (69).
Baculites: Upper Cretaceous, Montana, South Dakota (14).
Barbados: Upper Eocene radiolarians (12).
Belgium: Upper Ordovician ostracodes (41).
Bilobites, generic name (68).
Biometry: relative growth (53); Triassic amphibians (52).
Brachiopods: *Bilobites* (68); Lower Cambrian, Washington (51); Middle Cambrian, Middle Ordovician Colombia (29); Upper Cambrian, Pennsylvania (83); Middle Devonian *Atrypa*, Australia (15).
Brazer formation (Mississippian): corals, Utah (55).
Brownsport formation (Silurian): correlation (1).
Brule formation (Upper Oligocene): vertebrates, South Dakota (43).
California: Upper Cretaceous foraminifera (4); Pleistocene crabs (46).
Cambrian, Lower: brachiopods, trilobites, Washington (51); Middle and Upper: brachiopods, cephalopods, cystids, graptolites, trilobites, Colombia (29); Upper: cephalopods, China (26); fauna and paleoecology, Pennsylvania (83); tracks, Missouri (80); trilobites, central Appalachians (88), Minnesota and Texas (54), Minnesota and Wisconsin (49), Vermont (66).
Canada: Upper Ordovician pelecypods, Ontario (27).
Carboniferous: insects, France (13).
Cenozoic: ostracodes, corrections of recent papers (81).
Cephalopods: Middle Cambrian, Middle Ordovician, Colombia (29); Upper Cambrian, China (29).
China: Upper Cambrian cephalopods (26).
Chouteau limestone (Lower Mississippian): ammonoids, Illinois, Iowa, Missouri (48).
Colombia: Middle Cambrian to Middle Ordovician brachiopods, cephalopods, cystids, graptolites, trilobites (29).
Colorado: Jurassic to Tertiary ostracodes (56); Lower Jurassic? footprints (23).
Commentry, France: Carboniferous insects (13).
Conococheague limestone (Upper Cambrian): trilobites, central Appalachians (88).
Conodonts: Ordovician localities, Argentina (97); Upper Ordovician, Kentucky, Indiana (7); Lower Mississippian, Iowa (95); Middle Permian, Idaho (96).
Corals: Mississippian, Mississippi Valley (18); Upper Mississippian, Utah (55).
Crabs: Pleistocene, California (46).
Cretaceous: *Cytherelloidea* in North America (65); ostracodes, Rocky Mountains (56), Wyoming (57); Lower: arctic paleobotany (64); pelecypods, Montana (85); Upper: *Baculites*, Montana, South Dakota (14); foraminifera, California (4), Montana (94); *Globotruncana*, Trinidad (6).
Crinoids: Upper Mississippian, Pennsylvanian, Oklahoma (79); Pennsylvanian, Kansas (78), Texas (77); microcrinoids, Mississippian, Illinois, Missouri, Pennsylvania (58).
Cushman collection of foraminifera (42).
Cyclammina: internal structure (9).
Cystids: Middle Cambrian, Middle Ordovician, Colombia (29).
Dennis, David Worth (71).
Devonian, Middle: *Atrypa*, Australia (15); marcasite fauna, New York (24); Upper: paleobotany, America, Europe (16).

Discocyclina: internal structure (8).
Ecca series (Permian): petrified forest, Africa (60).
Ecuador: Eocene foraminifera (17).
Editorial style, form, procedure for Journal of Paleontology (87).
Edrioasteroid: Middle Ordovician, New York (25).
Endocerids, antiquity of (26).
Eocene: *Cibicides* and *Eponides* (45); foraminifera, Ecuador (17); ostracodes, Wyoming (63); Upper: nautiloid, Venezuela (47); ostracodes, Louisiana (34); radiolarians, Barbados (12).
Evolutionary sequence: Upper Mississippian corals, Utah (55).
Fish teeth: Pennsylvanian, Iowa (84).
Footprints: species and naming (22); Lower Jurassic?, Colorado (23).
Foraminifera: *Cibicides* and *Eponides* (45); Cushman collection (42); smaller, thin sectioning (19); structure of *Discocyclina* (8); Middle Permian fusulinids, Washington (44); Upper Triassic, Middle Jurassic, Tyrol, Austria (93); Upper Cretaceous, California (4), Montana (94), *Globotruncana*, Trinidad (6); Tertiary, Washington (59); Eocene, Ecuador (17); Miocene, Trinidad (9); Recent, Lousiana (2).
France: Carboniferous insects (13).
Franconia formation (Upper Cambrian): trilobites, central Appalachians (88).
Frontier formation (Upper Cretaceous): foraminifera, Montana (94).
Fusulinids: Middle Permian, Washington (44).
Garden City formation (Lower Ordovician): trilobites, Utah (61).
Globotruncana: Upper Cretaceous, Trinidad (6).
Goniatites: Mississippian, Nevada (98).
Graptolites: Middle Cambrian, Middle Ordovician, Colombia (29).
Growth: Triassic amphibians (52); series (53).
Hannibal shale (Lower Mississippian): ammonoids, Illinois, Iowa, Missouri (48).
Henryhouse formation (Silurian): brachiopods, Oklahoma (1).
Homonyms, ruling on (69).
Hungary: Lower Liassic radiolarians (12).
Idaho: Middle Permian conodonts (96); Jurassic to Tertiary ostracodes (56).
Illinois: Middle Ordovician ostracodes (62); Mississippian corals (18); Lower Mississippian ammonoids (48); Lower Pennsylvanian crinoids (58).
Indian Ocean: Recent radiolarians (12).
Indiana: key to fossils near Richmond (71); Upper Ordovician conodonts (7); Upper Ordovician, Middle Silurian ostracods (41); Mississippian corals (18).
International Commission on Zoological Nomenclature, comments on proposed new rules (33, 69).
Insects: Carboniferous, France (13).
Instrument for measuring fossils (72).
Iowa: Mississippian corals (18); Lower Mississippian ammonoids (48), conodonts (95); Pennsylvanian fish teeth (84).
Japan, Palaeontological Society of (105).
Jurassic: ammonite nomenclature (3); arctic paleobotany (64); *Cytherelloidea* in North America (65); ostracodes, Rocky Mountains (56); radiolarians, Switzerland (12); Lower: footprints, Colorado (23); Middle: foraminifera, Tyrol, Austria (93); Upper: ostracodes, South Dakota (82).
Kansas: Pennsylvanian crinoids (78).
Kentucky: Upper Ordovician conodonts(7); Mississippian corals (18).
Lake Bridgeport shale (Pennsylvanian): crinoids, Texas (77).
Lamotte sandstone (Upper Cambrian): tracks, Missouri (80).
Las Flores formation (Upper Eocene): nautiloids, Venezuela (47).
Lectotypes, designation of (69).
Liassic: ammonite nomenclature (30); Lower: radiolarians, Hungary, Switzerland (12).
Louisiana: Eocene ostracodes (34); Recent foraminifera (2).
Louisiana limestone (Lower Mississippian): ammonoids, Illinois, Iowa, Missouri (48).
Ludlowville formation (Middle Devonian): marcasite fauna, New York (24).
Mammals: Upper Oligocene, South Dakota (43).
Maquoketa shale (Upper Ordovician): ostracodes, Missouri (39).
Maracaibo basin: Upper Eocene nautiloids (47).
Marcasite fauna: Middle Devonian, New York (24).
Maryland: Upper Cambrian trilobites (88).
Mediterranean Sea: Recent radiolarians (12).
Mesozoic: ostracodes, corrections of recent papers on (81); paleobotany (38).
Microfossils, extraction from limestone (44).
Micropaleobotany (38).
Minnesota: Upper Cambrian trilobites (49, 54); Upper Ordovician ostracodes (41).
Miocene: *Cyclammina*, Trinidad (9).
Mississippian: corals, Mississippi valley (18); goniatites, Nevada (98); paleobotany, America, Europe

(16); Lower: ammonoids, Missouri (48); conodonts, Iowa (95); crinoids, Missouri (58); Upper: corals, Utah (55); crinoids, Oklahoma (79); ostracodes, Washington (44).
Missouri: Upper Cambrian tracks (80); Upper Ordovician ostracodes (39, 41); Mississippian corals (18); Lower Mississippian ammonoids (48); crinoids (58); Jurassic to Tertiary ostracodes (56).
Montana: Lower Cretaceous pelecypods (85); Upper Cretaceous *Baculites* (14), foraminifera (94).
Morses Line slate (Upper Cambrian): trilobites, Vermont (66).
Navajo(?) sandstone (Lower Jurassic): footprints, Colorado (23).
New names: *Alatacythere ivani* for *Cythereis* (*Pterygocythereis*) *alexanderi* (34); *Aulacophyllum symmetricum* for *A. bilaterale* (73); *Haplocytheridea hammondensis* for *Cytheridea* (*H.*) *obovata* (81); *Ilyocypris arvadensis linonodosa* for *I. a. tuberculata* (81); *Leguminocythereis? petersoni* for *L.? corrugata* (81); *Pealerina* for *Ellisina* (40); *Plotosaurus* for *Kolposaurus* (11); *Tryonella* for *Tryonia* (76); *Unio reesideanus* for *U. reesidei* (85).
Nevada: Mississippian goniatites (98).
New Mexico: Upper Triassic amphibian (52).
New York: Middle Ordovician edrioasteroid (25); Middle Devonian marcasite fauna (24).
Nomenclature: of footprints (22); Jurassic ammonites (3, 30); pectinids (50); rules (33).
Northview shale (Lower Mississippian): ammonoids, Missouri (48).
Ohio: Upper Ordovician ostracodes (41).
Oklahoma: Upper Ordovician ostracodes (41); Silurian brachiopods (1); Upper Mississippian, Pennsylvanian crinoids (79).
Oligocene, Upper: vertebrates, South Dakota (43).
Ontario: Upper Ordovician pelecypods (27).
Ontogeny: trilobites, Lower Ordovician, Utah (61), Middle Ordovician, Virginia (20).
Ordovician: conodont localities, Argentina (97); Lower: trilobites, Utah (61); Lower and Middle: brachiopods, cephalopods, cystids, graptolites, trilobites, Colombia (29); Middle: edrioasteroid, New York (25); ostracods, Illinois (62); trilobites, Virginia (20); conodonts, Indiana, Kentucky (7), Missouri (39), Indiana, Minnesota, Missouri, Ohio, Oklahoma, Belgium (41); pelecypod, Ontario (27).
Ore Hill limestone (Upper Cambrian): trilobites, Pennsylvania (88).
Orientation of specimens, three-axial stage (21).
Ornament: prosopon, new term (28).
Ostracodes: corrections of recent papers (81); *Cytherelloidea* in North America (65); moult stages (62, 63, 74, 75); thin sections (41); Middle Ordovician, Illinois (62); Upper Ordovician, Missouri (39), Indiana, Minnesota, Missouri, Ohio, Oklahoma, Belgium (41); Silurian, Sweden (75); Middle Silurian, Indiana (41); Mississippian, Washington (44); Jurassic to Tertiary, Rocky Mountains (56); Upper Jurassic, South Dakota (82); Cretaceous, Wyoming (57).
Pacific Ocean: Recent radiolarians (12).
Palaeontological Society of Japan (105).
Paleobotany: Devonian, Mississippian, America, Europe (16); Permian petrified forest, Africa (60); Mesozoic (38); arctic (64); Tertiary (5).
Paleoecology: Upper Cambrian, Pennsylvania (83); Middle Devonian marcasite fauna, New York (24); Tertiary (5).
Pectinids: Nomenclature (50).
Pelecypods: *Bilobites* (68); Upper Ordovician, Ontario (27); Lower Cretaceous, Montana (85).
Pennsylvania: Upper Cambrian, fauna, paleoecology (83), trilobites (88).
Pennsylvanian: crinoids, Kansas (78), Oklahoma (79), Texas (77); fish teeth, Iowa (84); Lower: crinoids, Illinois (58).
Permian: calcareous algae, Texas (36); petrified forest, southwest Africa (60); conodonts, Idaho (96); Middle: ostracodes, fusulinids, Washington (44).
Phosphoria formation (Middle? Permian): conodonts, Idaho (96).
Pleistocene: crabs, California (46).
Procedure, Journal of Paleontology (88).
Prosopon, new term for ornament (28).
Pseudamussium: type, nomenclature (50).
Quantitative paleontology: relative growth (53); Triassic amphibian (52).
Recent: foraminifera, Louisiana (2); radiolarians (12).
Redwater shale (Upper Jurassic): ostracodes, South Dakota (82).
Recent trends in paleontology (10).
Reviews: A revision of fossil *Sequoia* and *Taxodium* in western North America based on the recent discovery of *Metasequoia* by Ralph W. Chaney (37); California fossils for the field geologist by Hubert T. Schenck and A. Myra Keen (90); Einführung in die zoologische Nomenclatur, 2nd ed., by Rudolf Richter (67); Handbook of paleontology for beginners and amateurs, 2nd ed., by Winifred Goldring (86); Illustrated catalogue of Japanese Tertiary smaller Foraminifera by Kiyoshi Asano (90); Lehrbuch der Paläozoologie by Oskar Kuhn (32); On the origin of species by natural selection, reprint of 1st ed., by Charles Darwin (91); Practical invertebrate anatomy by W. S. Bullough (70); Procedure in taxonomy by Edward T. Schenck and John H. McMasters, revised by A. Myra Keen and Siemon William Muller (67); Report 18th session International Geological

Congress, pts. 1, 12, 15 (89); Stratigraphy and sedimentation by W. C. Krumbein and L. L. Sloss (92); The morphology of ostracode moult stages by R. V. Kesling (74).
Richmond group (Upper Ordovician): conodonts, Kentucky, Indiana (7).
Sample preparation, new method (35).
Sectioning smaller foraminifera (19).
Silurian: brachiopods, Oklahoma (1); ostracodes, Indiana (41), Sweden (75).
South America: Cambrian fossils, first (29); Ordovician conodont localities, Argentina (97); Upper Eocene nautiloid, Venezuela (47); Middle Cambrian, Middle Ordovician fauna, Colombia (29).
South Dakota: Jurassic, Tertiary ostracodes (56); Upper Jurassic ostracodes (82); Upper Cretaceous *Baculites* (14); Upper Oligocene vertebrates (43).
Stage, three-axial, for specimen orientation (21).
Style in Journal of Paleontology (87).
Sundance formation (Upper Jurassic): ostracodes, South Dakota (82).
Sweden: Silurian ostracodes (75).
Switzerland: Jurassic radiolarians (12).
Synonymy, rules (33).
Technique: sectioning (19); recovery of microfossils from limestone (44); sample preparation (35); silicified specimens (21).
Tertiary: *Cytherelloidea* in North America (65); foraminifera, Ecuador (17), Washington (59); ostracodes, Rocky Mountains (56); paleobotany, paleoecology (5).
Texas: Upper Cambrian trilobites (54); Pennsylvanian crinoids (77); Permian calcareous algae (36).
Thin sections of ostracodes (41).
Tracks: Upper Cambrian, Missouri (80).
Triassic, Upper: amphibian, New Mexico (52); foraminifera, Tyrol (93); paleobotany, arctic (64).
Trilobites: *Bilobites* (68); Lower Cambrian, Washington (51); Middle Cambrian to Middle Ordovician, Colombia (29); Upper Cambrian, central Appalachians (88), Minnesota, Wisconsin (49), Minnesota, Texas (54), Pennsylvania (83), Vermont (66); Lower Ordovician, Utah (61); Middle Ordovician, Virginia (20).
Trinidad: Upper Cretaceous *Globotruncana* (6); Miocene *Cyclammina* (9).
Trivial names, rules (33, 69).
Tyrol: Upper Triassic, Middle Jurassic foraminifera (93).
Utah: Lower Ordovician trilobites (61); Upper Mississippian corals (55); Jurassic to Tertiary ostracodes (56).
Vecchia, Orlando: comments on Liassic ammonites (29).
Venezuela: Upper Eocene nautiloids (47).
Vermont: Upper Cambrian trilobites (66).
Virginia: Upper Cambrian trilobites (88); Middle Ordovician trilobites (20).
Warrior formation (Upper Cambrian): fauna, paleoecology, Pennsylvania (83).
Washington: Lower Cambrian brachiopods, trilobites (51); Upper Mississippian, Middle Permian fusulinids, ostracodes (44); Tertiary foraminifera (59).
Wassonville dolomite (Lower Mississippian): conodonts, Iowa (95).
West Virginia: Upper Cambrian trilobites (88).
White Pine shale (Mississippian): goniatites, Nevada (98).
Whitney member of Brule formation (Upper Oligocene): vertebrates, South Dakota (43).
Wisconsin: Upper Cambrian trilobites (49).
Wyoming: Jurassic to Tertiary ostracodes (56); Cretaceous ostracodes (57); Eocene ostracodes (63).